



Fig. 2A




Fig. 2D

Fig. 2B

Fig. 2C




Fig. 3A




Fig. 3B









Fig. 4A










Fig. 5A

SETTINGS

Online




Fig. 5B




Fig. 5C

Fig. 5D





Fig. 5E






Fig. 7





Fig. 8A









Fig. 9





```
void stdcall CIkenaCobrowseHandler::on terminate session( long
  session id, VARIANT BOOL b confirm )
   if ( b confirm != VARIANT FALSE )
     CIkenaConfirmDialog cnf dlg( IK INTER STRING(IDS SESSION TE
 RMINATE CONFIRM) );
     if( cnf dlg.DoModal( m hwnd parent ) == IDOK )
       if( m_p_ikena_core != 0 )
         CComPtr<IIkenaPluginHost> p_plugin_host;
         m_p_ikena_core->get_plugin_host(&p_plugin_host);
         if ( p_plugin_host != 0 )
           m b confirm terminate = true;
           p plugin_host->leave_session( session_id );
       }
     }
   }
  else
   {
     IKENANOTIFYHANDLER->show notify_message( IK_INTER_STRING(ID
#S_SESSION_TERMINATE_NOTIFY) );
🐩 oid stdcall CIkenaCobrowseHandler::on session terminate( long
\square session_id )
   if( m_p_chat_dlg )
    m_p_chat_dlg->end(IDCANCEL);
     m_p_chat_dlg = 0;
   }
   if ( !m b confirm terminate )
     IKENANOTIFYHANDLER->show notify message modal ( IDS_SESSION_
 TERMINATE NOTIFY );
     m b confirm terminate = false;
 }
```







Fig. 13







Fig. 14

SETTINES



O Kena01 O Kena03 O Kena00

240

ਕੋਂ





Fig. 15






Fig. 16




Fig. 17

